

Trelleborg



# TM3000 for harvester and combine machines

The TM3000 is the Trelleborg's answer to the latest and future generations of harvesters and combine machines.

A new tread pattern, along with the advanced carcass design, maximise the load capacity of the tire at low inflation pressure.

Matching precision farming approach, it is the right choice to increase the productivity of your farm, lowering overall operating costs whilst looking after the safety and comfort of the operators.



**HIGH  
STABILITY**



**SUPERIOR  
FLOTATION**



**RESISTANCE  
TO STUBBLE DAMAGE**



**EXCELLENT  
SELF-CLEANING**

**1** Sharp inclination of the lug to provide excellent stability on slopes.

**2** Inter-lug terracing at the base of the lug to maximise the self-cleaning capability of the tire.

**3** Increased lug base diameter to improve manoeuvrability and reduce stress in the shoulder area.

**4** Rounded shoulder profile, to prevent stubble damage, results in high durability.

**5** Rounded lug base to support the tire during combine steering.



# Extra wide footprint

The latest tests performed show that the TM3000's footprint is up to 5% wider than its premium competitor. The larger contact area significantly reduces soil compaction, providing high flotation characteristics, helping to protect the soil and supporting its organic life.

## Flotation comparison - Index

*Lower is better*



**+5% flotation  
vs. a Premium Competitor**

| Size                           | Tread Pattern | SW mm | OD mm | SLR mm | RC mm | SRI | Rim   | Permitted Rims | Type     |
|--------------------------------|---------------|-------|-------|--------|-------|-----|-------|----------------|----------|
| VF 750/65R26TL 177A8(177B) CFO | TM3000        | 740   | 1649  | 710    | 4882  | 775 | DW25B | DW25B          | Tubeless |
| VF 620/70R26TL 173A8 CFO       | TM3000        | 595   | 1500  | 645    | 4530  | 725 | DW20B |                | Tubeless |
| IF 800/70R32TL 182A8 CFO       | TM3000        | 775   | 1950  | 850    | 5845  | 900 | DW27B |                | Tubeless |
| IF 800/65R32TL 178A8 CFO       | TM3000        | 755   | 1850  | 810    | 5575  | 875 | DW27B |                | Tubeless |
| 650/75R32TL 172A8              | TM3000        | 618   | 1817  | 820    | 5500  | 850 | DW20B | DW21B          | Tubeless |
| IF 900/65R32TL 191A8(191B) CFO | TM3000        | 900   | 1985  | 875    | 5975  | 925 | DW31B | DW30B          | Tubeless |
| IF 800/70R38TL 187A8 CFO       | TM3000        | 780   | 2050  | 910    | 6190  | 975 | DW27B |                | Tubeless |

The information and technical data provided in this catalogue are indicative and may be subject to change without prior notice. For up-to-date data and official product specifications, please refer to the product technical sheet available through your sales representative.



**Shop our tires online**



**Discover our website  
and your legal guarantee rights**

**Follow us**

